

SAFETY FOOTWEAR Built For America





MODEL 1230

- LEATHER** 
- DIELECTRIC** 
- OIL RESISTANT** 
- ANTI-SLIP** 
- BREATHABLE** 
- LIGHT** 
- SHOCK ABSORPTION** 
- TOE CAP** 

» **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.

» **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.



MODEL 1238 DELICATE FEET



>> **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.

>> **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.





MODEL N1420



» **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.

» **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.






REFLECTIVE

MODEL N1422



- >> **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.
- >> **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.






REFLECTIVE

MODEL N706



» **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.

» **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.



MODEL N2205



- » **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.
- » **SOLE:** PU Bidensity aero-dynamic desing meeting excellent lightness





MODEL N2206



LEATHER: 100% bovine, full grain 2.0 to 2.2 mm.



SOLE: PU Bidensity aero-dynamic desing meeting excellent lightness



MODEL 207 LADY'S



LEATHER: 100% bovine,
full grain 2.0 to 2.2 mm.



SOLE: PU
aero-dynamic desing
meeting excellent
lightness





MODEL 1915



- >> **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.
- >> **SOLE:** Aerodynamic design that absorbs energy in each step, has ergonomic studs, double density PU



MODEL 1914



» **UPPER:** Polyester textil material, breathable with moisture absorption and de-absorption properties, comfortable, fresh and light

» **SOLE:** Aerodynamic design that absorbs energy in each step, has ergonomic studs, double density PU



MODEL 1821



- >> **UPPER:** CDM - KNIT technology 100% breathable and fresh, resistant to wear
- >> **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.



MODEL 7518



- >> **LEATHER:** 100% bovine, full grain 2.0 to 2.2 mm.
- >> **SOLE:** Dielectric, Double Density (T.P.U-P.U.) Outsole, direct injection attach.





COMANDO

SAFETY FOOTWEAR

Built For America



international@comando.mx

www.comando.mx